

# INDEX MAPS.

## T.15N R.8W 2<sup>nd</sup> Mer.

	294	293-294	293-294	293-295	293-295	292-295						
297	6	321	5	315	4	311	3	306	2	302	1	292
	320	320		315		310		306		301		
297	7	320	8	314	9	310	10	306	11	301	12	292
	319	319		314		310		305		301		
296	18	318	17	314	16	309	15	305	14	300	13	292
	322	318		313		309		304		300		
296	19	317	20	313	21	309	22	304	23	299	24	291
	317	317		312		308		303		299		
296	30	316	29	312	28	308	27	302	26	299	25	291
	316	316		311		307		302		298		
295	31	315	32	311	33	307	34	302	35	298	36	291
	289	289		289		289		290		290		

## T.16N R.8W 2<sup>nd</sup> Mer.

	330											327
331	6	354	5	348	4	344	3	340	2	335	1	327
	354	353		347		343		339		335		
331	7	353	8	347	9	343	10	339	11	334	12	327
	352	352		347		343		338		334		
331	18	351	17	346	16	342	15	338	14	334	13	326
	351	351		346		342		338		333		
330	19	350	20	346	21	341	22	337	23	333	24	326
	350	350		345		341		337		332		
330	30	349	29	345	28	341	27	336	26	332	25	326
	349	348		344		340		336		332		
330	31	348	32	344	33	340	34	335	35	332	36	325
	324	323-324	323-324	323-325	323-325	323-325		323-325		323-325		

The figures on the lines refer to the page.

Township No 15 North of Range No 8 West 2nd Mer. Indiana. 289

ch. 1/2

South Boundary

East On the South Boundary of sec. 31. T. 15 N. R. 8 W.  
40.00 Set a post from white,  
W. Oak 6 in diam. 85 N. 14 links east, to,  
Oak 2 1/2 " " N 18 E. 11 " 3  
80.00 Set a post for the cor. of sec. 31 & 32 from white,  
Buck 14 in diam. 85 N. 20 links east, to,  
Cypress 9 " " " N 24 E. 36 " 4  
Land very broken. Timber Oak, Buck, Poplar &c.

East On the South Boundary of sec. 32. T. 15 N. R. 8 W.  
40.00 Set a post from white,  
Buck 14 in diam. 81 E. 31 links east, to,  
W. Oak 20 " " " N 11 E. 77 " 1  
80.00 Set a post for the cor. of sec. 32 & 33 from white,  
W. Buck 8 in diam. 85 N. 20 links east, to,  
Buckeye 10 " " " N 46 E. 25 " 1  
Land a West 1/2 broken; East 1/2 bottom which over flows.

East On the South Boundary of sec. 33. T. 15 N. R. 8 W.  
25.00 Top Brook 6 links wide, corner NW.  
40.00 Set a post from white,  
Blue Ash 8 in diam. 81 N. 24 links east, to,  
Oak 6 " " " N 67 E. 20 " 1  
80.00 Set a post for the cor. of sec. 33 & 34 from white,  
Hick 24 in diam. 86 N. 10 links east, to,  
Buck 11 " " " N 32 E. 36 " 1  
Land a West 1/2 very broken. East 1/2 level; Timber  
Buck, Oak, Ash, & Poplar &c. (19 Spec. rather wet.

East On the South Boundary of sec. 34. T. 15 N. R. 8 W.  
35.00 Top Brook 20 links wide, corner S.  
A Bank of Snow level  
40.00 Set a post from white,  
Buckeye 9 in diam. 85 N. 8 links east, to,



## T. N. 13 T. R. N. 8 W. Dist. (Mn. Ind.)

Blue Oak 24 in diam. here. N 51 E 36 bnts arch,  
 80.00 Set apart for the cor of sec 34 & 35 from white,  
 Beach 10 in diam. here. S 41 E 15 bnts arch, & a,  
 No. 10, " " N 73 W 14 " "  
 Land part broken. Timber same.

East On the South Branch of sec. 35. T. 18 N. R. 8 W.  
 40.00 Set a 7/8 in apart from white,  
 Beach 7 in diam. here. S 62 E 7 bnts arch, & a,  
 R. Oak 14 " " S 25 W 29 " "  
 62.50 Log Brook R. 20 bnts in, corner  
 80.00 Set apart for the cor of sec 35 & 36 from white,  
 Beach 15 in diam. here. S 25 W 16 bnts arch, & a,  
 No. 9 " " N 55 E 35 " "  
 Land same.

East On the South Branch of sec. 36. T. 15 N. R. 8 W.  
 11.03 Intersect the Old Indian Branch and set apart for the  
 cor of sec 36 from white,  
 W Oak 24 in diam. here. S 65 W 24 bnts arch, & a,  
 Beach. 9 " " N 12 W 42 " "  
 Land same.

West On the same line On the South Branch of sec. 36.  
 T. 15 N. R. 8 W.  
 40.00 Set a 1/2 in apart from white.  
 72.09 Intersect the Indian Branch 11/36 bnts South of  
 Township Cor.  
 Land broken & timber poor.

East On the same line On the South Branch of sec. 36.  
 T. 15 N. R. 8 W. N. 55 E  
 32.09 Set the 1/2 in apart on the same line from white.  
 Beach 11 in diam. here. N 69 E 11 bnts arch, & a,  
 Beach 10 " " N 7 W 13 " "  
 72.09 Set apart for the cor of sec 34 & 35 N 78 W 122 the

J. N. 15 N R. N. 8 W 2nd Mer. Ind.

North of the timber line near from which,  
N Walnut. 8 in diam. trees. South 8 links out, Pa,  
Do. 7 1/2 " " N 13 W 13 " "

### East Boundary

July 4. 1819 N. 6° 35'

North On the East Boundary of sec. 36 T 15 N R. 8 W.  
19.00 To a creek. 30 links out, corner S. E.  
41.00 Set a 7/8 cup post from which  
Sugar. 18 in diam. trees S 82 W. 24 links out, Pa,  
Do. 12 " " " N 86 E 26 " "  
62.50 To a spring branch 5 links out, corner S. W.  
71.00 " " Do. 3 " " " " "  
80.00 Set a post for the corner of sec. 25 T 36. from which  
Beck 24 in diam. trees. N 57 E 21 links out, Pa,  
Sugar. 30 " " " S 79 W. 28 " "  
Sound hole on a separate bottom good for farming.

North On the East Boundary of sec. 25 T 15 N R. 8 W  
40.00 Set a 7/8 cup post from which  
Oak 30 in diam. trees. S 4 E 53 links out, Pa,  
Do. 30 " " " N 12 E 23 " "  
45.00 To a creek. 15 links out, corner S. W.  
60.00 " " Do. 15 " " " S. E.  
80.00 Set a post for the corner of sec. 24 & 25 from which  
Oak 8 in diam. trees N 66 W. 4 links out, Pa,  
Sugar 7 1/2 " " " S 66 E 14 " "  
This line runs up the creek bottom rich and good for farming.

North On the East Boundary of sec. 24 T 15 N R. 8 W.  
35.00 To a Brook. 10 links out, corner S. W.  
40.00 Set a 7/8 cup post from which  
Oak 27 in diam. trees S 15 E 19 links out, Pa,  
Do. 30 " " " N 65 W 18 " "  
80.00 Set a post for the corner of sec. 13 & 24 from which

## T. N. 15 N. R. N. 8 W 2nd Mer. Ind.

(Oak 27 in dia: beam.)

N. Buck 5 in dia: beam. N 72 E. 8 links each, Pa,

Sugar 12 " " " N 73 W. 22 " "

Land good for farming; level Indian Buck, Sugar.

North Oak East Bound of sec. 13. T. 15 N. R. 8 W.

40.00 Set a 1/4 cap post from white,

Buck 9 in dia: beam. N 44 E. 27 links each, Pa,

10. 9 " " " N 70 W. 16 " "

80.00 Set a post for the cor of sec 12 &amp; 13 from white,

N. Walnut 14 in dia: beam. S 60 E. 17 links each, Pa,

Eben 12 " " " " N 40 W. 35 " "

Land level and good for farming; Indian  
Buck Sugar Oak Walnut.

North Oak East Bound of sec. 12. T. 15 N. R. 8 W.

40.00 Set a 1/4 cap post from white,

Walnut 14 in dia: beam. N 80 E. 5 links each, Pa,

Sugar 12 " " " " N 80 W. 8 " "

80.00 Set a post for the cor of sec 1 &amp; 12 from white,

Sugar 8 in dia: beam. S 90 E. 18 links each, Pa,

Walnut 12 " " " " N 54 W. 28 " "

Land level.

North Oak East Bound of sec. 16 T. 15 N. R. 8 W.

40.00 Set a 1/4 cap post from white,

Oak 30 in dia: beam. S 9 E. 47 links each, Pa,

Buck 9 " " " " N 16 W. 31 " "

80.00 Set a temp. 1/4 post for the cor of 15 &amp; 16 N. R. 8 W.

Land level and some part rather wet: Good land  
for farming.

## North Boundary v. 6 &amp; 10'

West Oak Run am line Oak East Bound of sec. 36.  
T. 16 N. R. 8 W.

40.00 Set a temp. 1/4 post





T. No 15 N.R. No 877 2<sup>nd</sup> (Mr. Ind<sup>a</sup>)

- West Open Random line On the South Branch of sea. 31.  
T. 15 N.R. 877
- 20.0 To a line 30 links wide, corner 1.
- 40.00 Set a temp. 1/2 in sap post
- 60.00 Into prairie,
- 88.24 Intersect the Range line. 87 links South of the temp. 1/2 post for the corner of logs. 15716. N.R. 877 & 778  
Set a post from which a

- East Open line On the South Branch of sea. 31.  
T. 16 N.R. 877
- 40.00 Set the temp. 1/2 in sap post on the true line from which  
W Oak, 36 in dia. bears. West 112 links east.
- 80.00 Set a post (temp. 1/2) on the true line for the corner of sea. 31 & 32  
from which, Cherry 9 in dia. bears. S 19 E. 16 links and  
under a W Oak 36 in dia. " N 83 W 59 "

- East Open line On the South Branch of sea. 32.  
T. 16 N.R. 877
- 40.00 Set a sap post (temp. 1/2) on the true line from which  
Sugar. 12 in dia. bears. S 18 E 29 links east, to  
Duck 14 " " " North. 48 "
- 80.00 Set the temp. 1/2 post on the true line for the corner of sea. 32 & 33  
from which Sugar. 12 in dia. bears. N 32 W 36 links and  
under a W Oak 13 " " " S 27 E. 48 " "
- Var. by observation to 45'

- East Open line On the South Branch of sea. 33.  
T. 16 N.R. 877
- 40.00 Set the temp. 1/2 in sap post on the true line from which  
Sugar. 8 in dia. bears. N 61 W 15 links east, to  
W Walnut 8 " " " S 66 E. 19 " "
- 80.00 Set the temp. 1/2 post on the true line further on sea. 33 & 34  
from which Cedar 8 in dia. bears. S 67 E. 25 links and  
under a Poplar. 40 " " " N 64 W 36 " "

I. N. 15 N. R. N. 877 2nd. (Mn. Sud.)

August. 2<sup>nd</sup> 1819.

East On the true line On the South Board of Rev. 34  
I. 16 N. R. 877.  
40.00 Set the temp. 17<sup>th</sup> in support on the true line from white,  
Peak 10 in air: bears. S 64 W. 12 mts. dist; 70,  
Do. 9 " " " N 7 E. 23 " "  
80.00 Set the temp. 17<sup>th</sup> kept on the true line for the end of Rev. 34 & 35  
from white, N 44 W. 14 in air: bears. N 73 W. 12 mts. dist.  
under a Sugar. 24 " " " N 12 E. 20 " "

East On the true line On the South Board of Rev. 35.  
I. 16 N. R. 877.  
40.00 Set the temp. 17<sup>th</sup> in support on the true line from white,  
Elm. 9 in air: bears. S 57 W. 5 mts. dist; 70,  
Bapt. 14 " " " N 20 E. 22 " "  
80.00 Set the temp. 17<sup>th</sup> kept on the true line for the end of Rev. 35 & 36  
from white, Sugar. 24 in air: bears. N 88 E. 10 mts. dist.  
under a Do. 18 " " " S 75 W. 25 " "

East On the true line On the South Board of Rev. 36. I. 1  
I. 15 N. R. 877.  
40.00 Set the temp. 17<sup>th</sup> in support on the true line from white,  
Weak 36 in air: bears. S 68 E. 12 mts. dist; 70,  
Bapt. 18 " " " N 5 W. 45 " "  
80.00 Set a post for the end of I. 15 & 16 N. R. 877 from  
white Sugar 9 in air: bears. S 30 E. 3 mts. dist; 70,  
Weak 12 " " " N 7 W. 16 " "

### West Boundary

North On the East Board of Rev. 36 I. 15 N. R. 877.  
40.00 Set a post from white,  
Mulberry 30 in air: bears. East 4 mts. dist; 70,  
Weak 24 " " " S 45 W. 45 " "  
80.00 Set a post for the end of Rev. 25 & 36. from white.  
Peak 27 in air: bears. S 18 E. 15 mts. dist; 70,  
Sugar. 18 " " " N 21 W. 61 " "

T. N. 13 TR N. 8 W 2<sup>nd</sup> M. Ind.

Land good for farming. Timber Beech Sugar  
Walnut Oak Hackberry &c.

North 4000	On the East Boundary of sec. 25 T. 15 N. R. 9 W. Set a post from which W Oak 10 in dia. beam. N 52 E. 7 1/2 mts. north to B Oak 8 1/2 " " S 74 W. 16 1/2 "
49.00	Set Beech 10 mts. in a. corner S. W.
80.00	Set a post for the cor. of sec. 24 & 25 from which W Oak 40 in dia. beam. S 26 E 10 mts. north to H. 10 " " S 48 W 20 " "
	Land hilly 13 <sup>th</sup> nat. Timber Beech Oak &c.
North 4000	On the East Boundary of sec. 24 T. 15 N. R. 9 W. Set a post from which Beech 8 in dia. beam. N 65 E. 22 mts. north to W Oak 14 1/2 " " S 35 W. 32 " "
80.00	Set a post for the cor. of sec. 23 & 24 from which Sugar. 8 in dia. beam. N 19 E. 4 mts. north to W Oak 12 " " S 26 E. 32 " "
	Land same.
North 4000	On the East Boundary of sec. 13 T. 15 N. R. 9 W. Set a post from which Sugar 10 in dia. beam. S 11 E. 23 mts. north to Oak 10 " " N 47 W. 45 " "
40.50	Set Beech 10 mts. in a. corner W.
64.82	Enter at the Indian Boundary and set a post for the cor. of sec. 13 from which Beech 8 in dia. beam. S 64 E. 6 mts. north to H. 12 " " S 55 W. 19 " "
	Land good for farming. Timber Sugar Walnut Hackberry &c.
North 1518	On the East Boundary of sec. 13 T. 15 N. R. 9 W. Set a post for the cor. of sec. 12 & 13 from which W Oak 9 in dia. beam. S 35 E. 30 mts. north to



297

I. N. 15 N. R. N. 877 2nd Mer. Ind.

Heck 9 in air: beam. N 55 W 20 links out,  
 Sand very wet.

North On the East River. W. of Sta. 12 I. 15 N. R. 977  
 27.50 To a creek 200 links out, beam W.  
 40.00 Set a post from which  
 S. 80 W. 10 in air: beam. S 8 E. 18 links out, Sta.  
 W. Oak 27, " " N 40 W. 31, "  
 80.00 Set a post for the corner. 1 1/2 m from which,  
 Heck 14 in air: beam. S 4 E. 17 links out, Sta.  
 Oak, 24, " " N 35 W. 46, "  
 Sand but not an good for farming, I am in Aug.  
 Oak & Walnut.

North On the East River. W. of Sta. 1. I. 15 N. R. 977  
 6.50 Enter prairie.  
 40.00 Set a trap. 1/2 m post in prairie  
 No burrows.  
 \* 49.13 Set a post for the cor. of S. 15 T. 16. N. R. 877 from which  
 a Heck 9 in air: beam N 76 W. 17 links out, Sta.  
 Heck 5, " " S 37 E. 20, "  
 \* 77.00 Enter a thicket

Surveyed by  
 William Harris D.

### Subdividing

North Return Sta. 35 T. 36. I. 15 N. R. 877  
 8.23 Intersect the Indian River line and set a post for the  
 cor. of Sta. 35 T. 36. from which  
 Beck. 12 in air: beam. S 13 W. 26 links out, Sta.  
 Do. 12, " " N 75 E. 20, "  
 North Return Sta. 35 T. 36. I. 15 N. R. 877  
 25.30 To a W. Oak 27 in air: Sta. in the river.  
 40.00 Set a post from which  
 Beck 10 in air: beam. S 67 E. 22 links out, Sta.  
 Do. 12, " " S 86 W. 16, "

49.13  
 57



T. No 15 NR No 8 W 2nd Mer. Ind.

~~25.50 To a Brook 10 mls mid. course NW~~  
~~76.10~~

## Subdivisions

North Return Sec 35 T36. T. 15 NR 8 W  
8.23 Intersect the Indian Boundary and set a post for the  
crossing. 35 T36. From which  
Beach 12 in diam. trees. S 13 W 26 mls each, &c.

Do. 12 " " N 75 E 22 " "  
Nov. Thursday. 25. 1819

North Return Sec 35 T36. T. 15 NR 8 W  
From Old Boundary

27.95 To a sym 20 in diam in the line

31.75 Set a 7th suppost from which a  
Sugar 16 in diam. trees. S 19 E. 31 mls each, &c.  
Poplar, 24 " " N 27 W 28 " "

37.27 To a Brook 20 mls mid. course NW

57.23 To a W Oak. 30 in diam in the line.

71.77 Set a post for the crossing 25, 26. 35 & 36 from which  
Hornbeam 4 in diam. trees. S 71 W 18 mls each, &c.  
W Horn 3 " " " N 36 E 18 " "

Set the above post on the West side of a stream after  
crossing the same 9 times

Land bet. 7 mts hilly and 2nd 7 mts of border for  
farming; Timber W Oak, Birch, Poplar, Hickory  
& W Spruce.

East On a Range line between Sec 25 T36. T. 15 NR 8 W

1.50 To a Brook 20 mls mid. course S.

40.00 Set a temporary suppost

77.00 To a Brook 25 mls mid. course S.

81.95 Intersect the East Boundary 19 mls North of the post  
crossing. 25 T36.

Land hilly Timber W Oak, Birch, Poplar, Hickory  
& W Spruce

West On the line between Sec 25 T36. T. 15 NR 8 W.

71.77  
1000  
8000

## T. N. 15 N. R. N. 8 W. 2nd (Mo. Sur.)

40.97	Set the trap <sup>st</sup> post at the cross in the two line from white Beck. 10 in dist. from. N 65 E. 23 mts north; Pa; Lg. 6 " " " N 82 W. 15 " "
81.95	In the post on of Dec 25, 26, 35 & 36.
North	Between Dec 26 & 25 T. 15 N. R. 8 W.
18.50	To a Beck 21 mts north, Norma C. C.
23.50	" " Eng. 12 in dist. from as in the line.
40.00	Set a 1/4 sup post from white Poplar, 6 in dist. from. N 50 W. 16 mts north, Pa; Eng. 9 " " " N 65 E. 7 " "
52.30	To a W Oak 30 in dist. from as in the line.
80.00	Set a post for the cor of Dec 23, 24, 25 & 26. From white Poplar, 20 in dist. from. N 56 E. 23 mts north; Pa; Sycamore. 4 " " " N 87 W. 10 " " Land is pretty much some good farming land; Timber ash, Beck. Walnut & Eng. W. Spruce.
East	On a line between Dec 24 & 25 T. 15 N. R. 8 W.
40.00	Set a trap <sup>st</sup> 1/4 sup post.
75.00	To a Beck 20 mts north, Norma S. W.
81.75	Set a post at the East Branch 50 mts north of the post. Eng. Dec 24 & 25. Land is good for farming; Timber Poplar, Sugar, W Oak, Beck. &c.
West	On the two line between Dec 24 & 25 T. 15 N. R. 8 W.
40.87	Set the trap <sup>st</sup> 1/4 sup post at the cross in the two line from white, Spruce Oak, 30 in dist. from. N 16 E. 38 mts north, under Beck. 15 " " " N 30 W. 20 " "
81.75	In the post on of Dec 23, 24, 25 & 26.
North	Between Dec 23 & 24 T. 15 N. R. 8 W.
28.10	To a Eng. 10 in dist. from as in the line
40.00	Set a 1/4 sup post from white Eng. 4 in dist. from. N 16 E. 3 mts north, Pa;





## T. N. 13 N. R. 8 W. 2nd Mer. Ind.

East On a Kanam line between Sec. 12 & 13. T. 15 N. R. 8 W.  
 40.00 Set a trap 1/2 mi. S. W. post  
 50.00 To a Brook 10 links N. W.,  
 81.95 Set a trap on the East Boundary 225 links North of the post cor.  
 of Sec. 12 & 13. Land good and good for farming; Timber Walnut, Redds,

West On the line between Sec. 12 & 13. T. 15 N. R. 8 W.  
 40.97 Set the trap 1/2 mi. S. W. post at the corner on the line from  
 which, N. 1/2 Sec. 10 in dist. from. Sec. 11. 17 links East; Ash  
 and an Ash. 15 " " " 59 E. 30 " "  
 81.95 To the post cor of sec 11. 12 13 & 14.

North Between Sec. 11 & 12. T. 15 N. R. 8 W.  
 17.00 To a Brook 10 links N. W., corner S. E.  
 24.30 To a Brook. 20 in dist. from the line.  
 39.00 To a Brook. 10 links N. W., corner S. W.  
 40.00 Set a trap S. W. post from which,  
 Eng. 12 in dist. from. Sec. 11 11 links East, or  
 N. W. 364 " " 59 N. 11 " "  
 53.40 To a Eng. 30 in dist. on the line.  
 80.00 Set a post for the cor of sec 1. 2. 11. & 12 from which,  
 N. 1/2 Sec. 10 in dist. from. N. 66 E. 5 links N. W. or  
 Ash 15 " " " 59 N. 11 " "  
 Land good and good for farming; Timber Walnut,  
 Ash, Eng. Poplar, &c. 119 Spr.

East On a Kanam line between Sec. 1 & 12. T. 15 N. R. 8 W.  
 40.00 Set a trap 1/2 mi. S. W. post  
 47.70 To a Brook 8 links N. W., corner S.  
 82.06 Set a trap on the East Boundary 265 links North of the post.  
 cor of sec. 1 & 12  
 Land good and good for farming; Timber Walnut,  
 Ash Eng. & Eng. 119 Spr.

West On the line between Sec. 1 & 12. T. 15 N. R. 8 W.  
 41.03 Set the trap 1/2 mi. S. W. post at the corner on the line from



T. N. 15 N. R. N. 8 W 2<sup>nd</sup> M. Ind.

whisk, Cornbeam 4 in dia. trees. South 2 links east;  
 and a Buck. 20 " " N 16 E 46 " "  
 82.06. Set post on of lat 1.2, 11. 812.  
 Nov. 26. 1819

North Return Sec. 1 & 2 T. 15 N. R. 8 W.  
 27.20 To a N. Oak. 20 in dia. stands in the line.  
 40.00 Set a 7<sup>th</sup> support from which,  
 Buck. 20 in dia. trees S 20 E 28 links east; &  
 Ho. 10 " " North 19 " "  
 71.50 Enter out the W Boundary 40 links West of the post.  
 on of lat 35 & 36. T. 16 N. R. 8 W and set a post for the cor of  
 Sec. 1 & 2 from which,  
 Buck. 15 in dia. trees. N 67 E 40 links east; &  
 Ho. 8 " " S 61 W 32 " "

North Return Sec. 34 & 35. T. 15 N. R. 8 W.  
 40.00 Set a 7<sup>th</sup> support from which,  
 N Oak. 18 in dia. trees. N 32 E 11 links east; &  
 Poplar. 10 " " N 65 W 40 " "  
 67.22 Enter out the Indian Boundary line and set a post for  
 the cor of Sec. 34 & 35. from which,  
 Cypress 12 in dia. trees S 33 W 31 links east; &  
 Buck. 10 " " N 45 E 24 " "  
 Sandy post hole and part broken Enter Buck Oak,  
 Sugar & Poplar. Ash & S.

North Return Sec. 34 & 35. T. 15 N. R. 8 W.  
 2.15 To a Hick 10 in dia. in the line  
 12.78 Set post for the cor of Sec. 26, 27, 34 & 35. from which,  
 Buck. 18 in dia. trees. N 37 W. 15 links east; &  
 Ho. 12 " " S 26 E 6 " "  
 Land level and inclining is mb; 3<sup>rd</sup> rate,  
 Enter Buck, Ash, Hick & S.

East On a Running line between Sec. 26 & 35 T. 15 N. R. 8 W.  
 4.75 Enter out the East Boundary of Reservation 231

T. N. 15 N. R. No 8 W 2<sup>nd</sup> (Mm. Sec.)

Ample South of the post on of sec. 25, 26 & 35 & 36  
 Same same as last mile.

West On the true line between Sec. 26 & 35 T. 15 N. R. 8 W.  
 50.00 To the post on of sec. 25, 26, 35 & 36.  
 West Return Sec. 26 & 35 T. 15 N. R. 8 W.  
 32.80 To a Beck 10 in dia. in the river, corner N.E.  
 40.00 Set a post from which  
 Sec. 10 in dia. in the river N 45 E. 28 miles out, &  
 20.6 " " " N 3 E. 29 " "  
 74.50 Intersect the Boundary of the Indian Reservation  
 on a post for the on of sec. 26 & 35 from which  
 Sec. 20 in dia. in the river N 31 E 19 miles out, &  
 Beck 10 " " " N 70 W 8 " "  
 Land hilly Timber N Oak, Buck & Poplar. 119.  
 Immort. B. & C.

North Return Sec. 26 & 27 T. 15 N. R. 8 W.  
 12.20 To a Beck 10 in dia. in the river.  
 40.00 Set a post from which  
 N Oak 33 in dia. in the river N 36 E 8 miles out, &  
 Beck 8 " " " N 73 E 14 " "  
 49.00 To a Beck 16 in dia. it stands in the river.  
 80.00 Set a post for the on of sec. 22, 23, 26 & 27 from which  
 Beck 30 in dia. in the river N 65 E 20 miles out, &  
 10. 10 " " " N 32 E 22 " "  
 Land low and inclined to the river; 3rd rate Timber  
 Beck, Ash, Engelm. 119 Spruce & Beck.

East On a true line between Sec. 22 & 26 T. 15 N. R. 8 W.  
 12.95 Intersect the Reserve line 231 miles South of the post  
 on of sec. 23, & 26.  
 Same & same as last mile.

West On the true line between Sec. 23 & 26 T. 15 N. R. 8 W.  
 13.05 To the post on of sec. 22, 23, 26 & 27.

## T. N. 15 N. R. 8 W. 2nd Mer. Ind.

West Return Sec 23 & 26. T. 15 N. R. 8 W.  
 7.50 To a Brook 15 links mid, corner S.  
 40.00 Set a p. support from which  
 B. p. 20 in diam. from N 4 E. 10 links mid. & S  
 S. p. 12 " " " S 50 E. 14 " "  
 66.50 Enter cut the Indian Boundary of Reservoir & cut a  
 post for the cor of sec. 23 & 26. from which  
 Beach 12 in diam. from N 64 E. 25 links mid. & S  
 10. 8 " " " S 58 W. 37 " "  
 Soil good and good for farming. Soil to R. p. line,  
 Sugar & Syrup. All species.

North Return Sec 22 & 23. T. 15 N. R. 8 W.  
 17.75 To a Well 26 in diam in the line.  
 33.50 To a Brook 3 links mid, corner W.  
 40.00 Set a p. support from which  
 Sugar 12 in diam. from S 35 W. 20 links mid. & S  
 10. 12 " " " S 50 E. 29 " "  
 57.26 To a Brook 15 in diam. at end of the line.  
 79.90 To a Brook 4 links mid, corner W.  
 80.00 Set a post for the cor of sec. 14, 15, 22 & 23 from which  
 B. p. 10 in diam. from S 24 E. 17 links mid. & S  
 Sugar. 7 " " " S 45 W. 16 " "  
 Good (rolling) and 2nd p. to, Soil to Beach, Sugar,  
 Ash & Hickory. All species & ash.

East Return Sec. 14 & 23. T. 15 N. R. 8 W. On a Range  
 21.33 Enter cut the Indian Boundary line 320 links South  
 of the post cor of sec. 14 & 23.  
 Can determine exact mid.

West On the line between Sec. 14 & 23. T. 15 N. R. 8 W.  
 21.80 To the post cor of sec. 14, 15, 22 & 23.  
 West Return Sec. 14 & 23. T. 15 N. R. 8 W.  
 40.00 Set a p. support from which  
 Oak 18 in diam. from S 80 W. 27 links mid. & S



305

T. N. 15 N. R. N. 8 W. 2<sup>nd</sup> (M. Ind.)

57.88 Sugar 20 in dia: beam N 75 E 28 miles east,  
 Intersect the Indian Boundary Reservoir on the west for  
 the cor of sec 14 & 23 from which  
 Sugar 20 in dia: beam N 55 E 10 miles east, &  
 Sugar 12 " " " N 72 W 23 "  
 Liquid rock can be good for farming; Timber Walnut,  
 Sugar, Ash & Gum, 119 Acres.

North Between Sec 14 & 15 T. 15 N. R. 8 W.  
 12.80 To a Beech 20 in dia: in the line.  
 40.00 Set a post for the cor of sec 10 11 14 & 15 from which  
 Sugar 8 in dia: beam S 6 E 20 miles east, &  
 Sugarwood 5 " " N 39 W 9 "  
 42.00 To a Beech 8 miles from corner S. W.  
 50.75 To an R. Oak 14 in dia: at an as in the line.  
 80.00 Set a post for the cor of sec 10 11 14 & 15 from which  
 Beech 20 in dia: beam N 3 W 30 miles east, &  
 Sugar 14 " " " S 23 W 35 "  
 Can be rolling and 2<sup>nd</sup> rate. Timber W Oak, Hickory  
 and Spruce &c.

East On a Main line between Sec 11 & 14 T. 15 N. R. 8 W.  
 30.20 Intersect the Boundary of the Indian Reservoir 262 miles  
 South of the post cor of sec 11 & 14.  
 West On the line between Sec 11 & 14 T. 15 N. R. 8 W.  
 To the post cor of sec 10 11 14 & 15.

West Between Sec 11 & 14 T. 15 N. R. 8 W.  
 40.00 Set a post for the cor of sec 10 11 14 & 15 from which  
 Sugar 12 in dia: beam S 64 E 20 miles east, &  
 Beech 4 " " " S 61 W 3 "  
 49.76 Intersect the Boundary of the Indian Reservoir & set  
 a post for the cor of sec 11 & 14 from which  
 Sugar 30 in dia: beam S 7 W 6 miles east, &  
 Poplar 12 " " " N 22 E 50 "



T. N. 15 N. R. No 8 W. 2<sup>nd</sup> Mer. Sec.  
 Land good for farming; Timber Ash, Buck & Poplar  
 Sugar &c. (Wg Spec.)

North Section Sec 10 & 11 T. 15 N. R. 8 W  
 5.95 To cor. Oct. 10 in dia. on the line.  
 40.00 Set a 7/8" sap post from which  
 Run 20 in dia. line N 54° W 28 links each, Pa  
 N Oak 15 1 " " S 37° E 27 " "  
 47.15 To p. N Oak 30 in dia. on the line  
 80.00 Set a post for the cor. of Sec 2, 3 10 & 11. from which  
 Run 30 in dia. line N 37° E 5 links each, Pa,  
 Do. 18 " " " S 13° W 28 " "  
 Land good and 2<sup>nd</sup> gate; Timber Buck, Sugar Ash,  
 and Hickory. (Wg Spec. & Ash.)

East On a line between Sec 2 & 11 T. 15 N. R. 8 W  
 38.50 Set a post the Boundary of the Indian Res. 320 links  
 South of the post cor. of Sec. 2 & 11.  
 Land good timber same.

West On the line between Sec 2 & 11. T. 15 N. R. 8 W  
 To the post cor. of Sec 2, 3 10 & 11.

West Section Sec 2 & 11. T. 15 N. R. 8 W  
 40.00 Set a 7/8" sap post from which  
 Ash 18 in dia. line. N 48° E 15 links each, Pa,  
 Buck 18 " " " S 51° W 25 " "  
 41.56. Set a post the Boundary of the Indian Res. & set  
 a post for the cor. of Sec 2 & 11. from which  
 Ash 10 in dia. line. N 3° E 22 links each, Pa,  
 Buck 12 " " " S 64° E 11 " "  
 Land good and good for farming; Timber Wal-  
 nut Ash, Buck, Sugar, Poplar &c. (Wg Spec.)

North Between Sec 2 & 3. T. 15 N. R. 8 W  
 9.50 To a Buck 30 in dia. on the line.  
 40.00 Set a 7/8" sap post from which

Elev. 30 in air: from N 5 E. 39 links each, & a  
 Peak 18 " " " N 39 W 35 " "  
 42.48 To a Sugar. 8 in air: in the line.  
 70.25 To a Poplar 30. " " " "  
 78.64 Intersect the N. B. road 50 links East of the post on off  
 Elev. 34 & 35. N 16 N. R. 8 W. and set a post for the ca off  
 " 2 & 3 from which,  
 Sugar 30 in air: from N 80 W. 13 links each, & a  
 Peak 18 " " " N 70 E. 22 " "  
 Same same as last mile.

North Between Elev. 33 & 34 I. 15 N. R. 8 W.  
 40.00 Set a post support from which,  
 Sugar 12 in air: from N 40 E. 27 links each, & a  
 Sugar. 12 " " " N 41 W 33 " "  
 80.00 Set a post for the ca off elev. 27. 28 33 & 34 from which,  
 Peak 9 in air: from N 46 E. 23 links each, & a  
 N. Oak 16 " " " N 65 W 25 " "  
 Same a little rolling and good for farming  
 Timber Peak B.

East Between Elev. 27 & 34 I. 15 N. R. 8 W.  
 18.15 To a Oak R 20 links each, corner N. W.  
 40.00 Set a post support from which,  
 Peak 8 in air: from N 11 E. 9 links each, & a  
 Dec. 12 " " " N 58 W 34 " "  
 64.00 Intersect the B. road and set a post for the ca off  
 Elev. 27 & 34 from which,  
 Peak 12 in air: from N 37 W 4 links each, & a  
 Sugar. 15 " " " N 38 W 12 " "  
 Same hilly and 2nd rate; Timber Peak, Sugar &  
 East Oak R. and line between Elev. 27 & 34 I. 15 N. R. 8 W.  
 16.96 Intersect the B. road 50 links South of the post on off  
 Elev. 26. 27. 34 & 35.

West Between Elev. 27 & 34 I. 15 N. R. 8 W. See line.

16.96 To the corner Reserve line

North Return Sec. 27 &amp; 28 T. 15 N. R. 8 W.

36.00 To a Brook 10 links wide, corner E.

40.00 Set a 1/4 section post from which

To a Brook 8 in dist. bears S 39 E. 27 links each way

Sugar 10 " " " N 50 W 26 " "

47.27 Enter at the Indian (Boma) line. can do set a post

for the corner of sec. 27 &amp; 28 from which

Sugar 10 in dist. bears N 54 E. 27 links each way

Do. 8 " " " S 42 E. 38 " "

Sand Hilky Timber Brook &amp;c.

North Return Sec. 27 &amp; 28 T. 15 N. R. 8 W.

2.88 To a sugar 8 in dist. in the line

4.56 To a Brook 6 links wide, corner S. E.

32.73 Set a post for the corner of sec. 27 &amp; 28 from which

Sugar 12 in dist. bears S 72 W 34 links each way

Do. 9 " " " N 67 E. 26 " "

Sand hill & 2<sup>nd</sup> rate; Timber Brook, Sugar, Oak,  
&c. &c.

East On a Kawam line between Sec. 22 &amp; 27 T. 15 N. R. 8 W.

21.50 To a Brook 5 links wide, corner S. E.

34.08 " " Do. 12 " " " "

40.00 Set a 1/4 section post (temp.)

43.25 To a Brook 8 links wide, corner N. W.

80.97 Enter at the N. W. line 53 links South of the post on of  
Sec. 22, 23, 26 & 27Quadr. hill & 3<sup>rd</sup> rate; Timber Brook, Oak, Sugar,  
Hick &c. My Ash & Spruce.

West On the same line between Sec. 22 &amp; 27 T. 15 N. R. 8 W.

40.48 Set the temp. 1/4 section post at the corner on the same line

from which N. Oak 40 in dist. bears S 35 E. 16 links each

way, Do. 24 " " " " N 84 W 32 " "



81.97 To the post on of Dec. 21, 22, 27, 1828.

North Return Dec. 21 1822 T. 15 N. R. 8<sup>th</sup>

6.54 To a gum. 10 in dia. in the line.

40.00 Set a  $\frac{1}{4}$  report from which

Beech 16 in dia. 12 in. 110 E. 18 links each, &c.

Do. 12 " " " 86 87 18 " "

55.20 To a Beech 12 in dia. in the line.

80.00 Set a post for the cor of Dec. 15, 16 21 1822 from which

Gum. 12 in dia. 12 in. 117 E. 33 links each, &c.

Beech 7 " " " 89 E. 14 " "

Line settling under 2<sup>nd</sup> rate; 1 miter Beech, Sugar,  
Oak &c. 117 Specie & Ash.

East Open Random line between Dec. 15 1822 T. 15 N. R. 8<sup>th</sup>

40.00 Set a temporary post

43.25 To a Beech 6 links mid. corner A

75.50 " " No. 5 " " " " " " " " " " " "

80.57 Intro set the N. B. line 58 links north of the post on of  
Dec. 14 15 22 & 23,

Line settling under 3<sup>rd</sup> rate; 1 miter Beech, 11 Oak &  
Gum &c. 119 Elmwood &c.

West Open the line between Dec. 15 & 16 T. 15 N. R. 8<sup>th</sup>

40.28 Set the temporary post at the arch in the line for the  
cor of  $\frac{1}{4}$  report from which

Poplar 36 in dia. 12 in. 149 E. 25 links each, &c.

Gum. 10 " " " 127 N. 20 " "

80.57 To the post on of Dec. 15 16. 21 1822,

North Return Dec. 15 & 16 T. 15 N. R. 8<sup>th</sup>

4.00 To a gum. 18 in dia. in the line.

40.00 Set a  $\frac{1}{4}$  report from which

Maple 24 in dia. 12 in. 83 N. 23 links each, &c.

Beech 10 " " " 120 E. 21 " "

53.50 To an Elm. 20 in dia. in the line.



344

I N<sup>o</sup> 15 N. R. N<sup>o</sup> 8 W 2<sup>nd</sup> Mer. Ind.

Sec. 2, 3. 10 & 11.  
Land and timber same.

West On the town line between Sec. 3 & 4. T. 15 N. R. 8 W  
40.46 Set the trip pt. 1/4 a post at the arched on the town line  
from which ag. Elm. 12 in dia. 16 in. S 72 E. 18 links dist.  
under a Beech 10 in. 4. N 65 W. 20 in. 4.  
80.93 To the post on of sec. 3 & 4. 9 & 10.

North Return Sec. 3 & 4. T. 15 N. R. 8 W.  
19.25 To an Oak 36 in dia. on the line.  
20.00 Set a 1/4 a post from which ag.  
Oak 8 in dia. 6 in. S 9 E. 55 links dist. 7 in.  
W. Beech 1/4 in. 4. N 47 W. 14 in. 4.  
51.50 To an Elm. 18 in dia. on the line.  
78.87 Enter at the N. B. road 14 links West of the post on  
of sec. 33 & 34. T. 16 N. R. 8 W. under a post for the cor.  
1/4 in. 3 & 4. from which ag.  
Beech 38 in dia. 6 in. S 68 W. 29 links dist. 7 in.  
Sugar 24 in. 4. N 41 E. 43 in. 4.  
Under a hard and 2<sup>nd</sup> rate; Timber Beech, Sugar, Oak,  
under Elm. N 9 S. 10 in.

South On a Random line between Sec. 32 & 33. T. 15 N. R. 8 W  
40.00 Set a trip pt. 1/4 a post.  
65.00 To a corner 150 links in. corner N. W.  
80.47 Enter at the South B. road 48 links East of the post  
on of sec. 32 & 33  
Under a hard and 2<sup>nd</sup> rate.

North On the town line between Sec. 32 & 33. T. 15 N. R. 8 W  
40.24 A Sugar 10 in dia. stands at the arched on the town  
line for the cor of 1/4 in.  
80.48 To the post on of sec. 28 & 29 32 & 33.

West On a Random line between Sec. 28 & 33. T. 15 N. R. 8 W



T. N. 15 N. R. N. 87 N 2<sup>nd</sup> Mer. Ind.

40.00 Set a trap for the caput. - N. 6° 15' -  
 57.50 To a point 10 miles from. Course S.  
 60.00 To a local Bank.  
 811.23 Intersect the N 13 line 25 miles North of the post on of  
 Sec. 28 29 32 & 33.  
 Sandy R. 1/2 mile west; 2<sup>nd</sup> 1/2 mile; Intersect Bank,  
 Sugar St.

East On a line between Sec. 28 & 33. T. 15 N. R. 87 N.  
 40.51 Set a post at the corner on the line for the  
 corner of the caput which  
 Bank 10 in air from Sec. 28 & 33 miles north of  
 N 18 " " N 36 N 6 " "  
 811.23 To the post on of sec. 27, 28 33 & 34.

North Between Sec. 28 & 29 T. 15 N. R. 87 N.  
 40.00 Set a post from which  
 N 18 30 in air from Sec. 28 & 29 miles north of  
 Bank 9 " " N 18 N 6 " "  
 80.00 Set a post for the corner of sec. 20 21. 28 & 29 from which  
 Bank 13 in air from Sec. 24 N. 6 miles north of  
 N 18 " " N 16 E 36 " "  
 Land very barren; Intersect Poplar; Good soil.

East Between Sec. 21 & 28 T. 15 N. R. 87 N.  
 34.47 Intersect the R. 10 line and set a post for the corner of  
 Sec. 21 & 28 from which  
 Bank 8 in air from Sec. 24 N. 6 miles north of  
 Sugar 14 " " N 1 E 16 " "  
 Land similar  
 East On a line between Sec. 21 & 28 T. 15 N. R. 87 N.  
 55.3 Set a trap for the caput  
 46.53 Intersect the N 13 line 13 miles North of the post on of  
 Sec. 21 22 27 & 28.  
 Land similar.

*J. N. 15 N.R. N. 8 W 2nd Mer. Sur.*

West On the true line between Sur. 21 & 28 J. 15 N R 8 W.  
 40.50 Set the temp. 7/4 ea post at the ar dish on the true line  
 from which, Beck 15 in dia. from N 69 W. 29 links dist.  
 under No. 10 " " " " 165 E 3 " "  
 June. 20. 1823.

North Return Sur. 25 & 26 J. 15 N R 8 W.  
 25.19 Intersect the Bonnet made set a post for the cor of sur. 20  
 & 21. from which,  
 Beck 17 in dia. from S 5 W 31 links dist, & a,  
 No. 12 " " " " N 25 E 16 " "  
 Same as same. as last mit.

North Return Sur. 20 & 21 J. 15 N R 8 W.  
 4.00 To a Beck 12 in dia. in the line.  
 14.81 Set a 7/4 ea post from which,  
 W Oak 26 in dia. from S 45 E. 13 links dist, & a,  
 Oak 24 " " " " N 34 W 39 " "  
 49.50 To a Beck 10 links mid, corner S. W.  
 54.81 Set a post for the cor of sur. 16, 17, 20 & 21. from which,  
 W Oak 30 in dia. from N 62 E. 50 links dist, & a,  
 No. 14 " " " " South 24 " "  
 Sandhilly made 3rd rate; Intersect Oak, Beck, & S.  
 W Oak as free.

East On a Random line between Sur. 16 & 21 J. 15 N R 8 W.  
 18.50 To a Beck 8 links mid, corner S.  
 30.00 To a spring of branch 3 links mid, corner N. W.  
 40.00 Set a temp. 7/4 ea post.  
 80.78 Intersect the N 73 W line 125 links North of the post cor of sur.  
 15 16. 21. & 22.  
 Long a P. 7/4 mile 2nd rate 3rd rate; Intersect Beck,  
 Oak & Ash. S.

West On the true line between Sur. 16 & 21 J. 15 N R 8 W  
 40.39 Set the temp. 7/4 ea post at the ar dish on the true line from  
 which, Beck 13 in dia. from S 30 E. 15 links dist,

## T. No 15 N. R. No 872 and M. Ind.

Beck 7 in dia: beam N 87° 20 links arch:  
 80.78 To the post cor of line 16 17 20 & 21.

North Between Sec 16 & 17 T. 15 N. R. 87°  
 13.75 To a Beck 15 in dia: in the line.  
 25.50 To a spring branch 3 links wide corner N. W.  
 40.00 Set a 7/8 cup post from which  
 Beck 21 in dia: beam. S 52° W. 11 links arch, &  
 Ironwood 8 in dia: beam. N 37° E. 42 links arch, &  
 63.64 To a Beck 18 in dia: in the line.  
 65.00 To a spring branch 3 links wide, corner S. W.  
 80.00 Set a post for the cor of Sec. 8, 9, 16 & 17 from which  
 Spruce 36 in dia: beam. S 55° W. 8 links arch, &  
 Eng. 15 " " " N 48° E. 20 " "  
 Ironwood 8 in dia: beam. S 52° W. 11 links arch, &  
 Ironwood 8 in dia: beam. N 37° E. 42 links arch, &  
 Ironwood 8 in dia: beam. S 52° W. 11 links arch, &  
 Ironwood 8 in dia: beam. N 37° E. 42 links arch, &

East On a Random line between Sec. 9 & 16. T. 15 N. R. 87°  
 40.00 Set a temp. 7/8 cup post.  
 81.07 Intersect the N 83 line 10 links north of the post cor of  
 Sec. 9, 10, 15 & 16.  
 Ironwood 8 in dia: beam. S 52° W. 11 links arch, &  
 Ironwood 8 in dia: beam. N 37° E. 42 links arch, &  
 Ironwood 8 in dia: beam. S 52° W. 11 links arch, &  
 Ironwood 8 in dia: beam. N 37° E. 42 links arch, &

West On the true line between Sec. 9 & 16. T. 15 N. R. 87°  
 40.03 Set the temp. 7/8 cup post at the ar arch on the true line from  
 which, Ash 15 in dia: beam. West 3 links arch, &  
 Do. 64 " " " S 82° E. 18 " "  
 80.87 To the post cor of Sec. 8, 9, 16 & 17

North Between Sec. 8 & 9 T. 15 N. R. 87°  
 10.78 To a Maple 24 in dia: in the line.  
 40.00 Set a 7/8 cup post from which  
 Beck 20 in dia: beam. N 26° E. 9 links arch, &  
 Do. 10 " " " S 57° W. 13 " "  
 51.58 To a Poplar 12 in dia: in the line.



## T. N. 15 N. R. N. 8 W. Quad (Mm. Ind.)

80.00 Set a post for the cor of sec. 4, 5, 8 & 9 from which a  
 R Oak 24 in diam. bears S 59 E. 28 mts. met; a  
 Beech 10 " " " N 22 W 21 " "  
 Land rolling & made 2nd rate. Timber Beech, Sugar,  
 Oak & s. W. Ash & Hickory &

East On a Roman line between Sec. 4 & 9 T. 15 N. R. 8 W.

40.00 Set a temp. 7/4 in post.

80.75 Intersect the W. Boundary 30 mts North of the post cor of  
 July 34. 1910.  
 Land s. s. s.

West On the true line between Sec. 4 & 9. T. 15 N. R. 8 W.

40.36 Set the temp. 7/4 in post at the ar. dish on the true line from  
 which a W Oak 19 in diam. bears S 46 E. 22 mts. met;  
 a W Beech 8 " " " N 56 W 5 " "

80.73 To the post cor of sec. 4, 5, 8 & 9.

North Between Sec. 4 & 5. T. 15 N. R. 8 W.

23.55 To a W Oak 30 in diam. in the line.

40.00 Set a temp. 7/4 in post from which a  
 W Oak 22 in diam. bears S 33 W. 5 mts. met; a  
 Beech 6 " " " S 88 E. 31 " "

40.20 To a Big oak 15 this side, corner S. W.

44.45 To a Sugar 24 in diam. in the line.

75.30 Intersect the W. Boundary 14 mts West of the post cor.  
 of sec. 32 & 33. T. 16 N. R. 8 W. can be set a post for the cor.  
 a 4 & 5 from which a

Sugar 24 in diam. bears S 57 W. 22 mts. met; a  
 No. 18 " " " N 8 E. 30 " "

Land hilly & 2nd rate; Timber Beech, Sugar, W Oak  
 & Ash; W. Cholla fr. & Ash s.

June 24 1823.

South On a Roman line between Sec. 31 & 32 T. 15 N. R. 8 W.

40.00 Set a temp. 7/4 in post.



J. N. 15 N.R. N. 8 W. Quad. M. Ind. 317

80.00 Intersect the E & W line 32 miles East of the post on of  
 Dec. 29. 30 31 1830.  
 Land North & bottom. South & broken land good  
 Soil &c.

North On the true line between Dec. 29 1830 J. 15 N.R. 8 W.  
 40.00 Get a tripod for support at the arch in the true line from.  
 Whitcher Elev. 12 in dist. N 35 W. 24 miles arch. 1830  
 Beach 12 " " S 26 W 22 " "  
 80.00 To the post on of Dec. 19 20 29 1830.

West Between Dec. 20 1829 J. 15 N.R. 8 W.  
 40.00 Get a tripod for support from Whitcher  
 Beach 10 in dist. from. N 81 E 17 miles arch. 1830  
 10 " 12 " " " S 40 W 49 " "  
 50.00 To a break 150 miles from, No. N.  
 80.00 Get a post for the end of Dec. 19 20 29 1830 from Whitcher  
 N 145 in dist. from N 14 E 44 miles arch. 1830  
 Elev. 15 " " " S 48 E 8 " "  
 S. E. & land very broken; West & level bottom.  
 Past good farming.

East On a line from line between Dec. 19 1830 J. 15 N.R. 8 W.  
 40.00 Get a tripod for support.  
 81.26 Intersect the N 13 line 150 miles South of the post  
 on of Dec. 19. 20. 29 1830.  
 Land hilly 1300 acres.

West On the true line between Dec. 19 1830 J. 15 N.R. 8 W.  
 40.63 Get the tripod for support at the arch in the true line  
 from Whitcher, 6 in dist. from. N 33 E. 12 miles arch.  
 under Whitcher 4 " " " S 1 W. 18 " "  
 81.26 To the post on of Dec. 19 & 30.

North Between Dec. 19 1830 J. 15 N.R. 8 W.  
 39.00 To a break 10 miles from N. & E.



T. N<sup>o</sup> 15 N.R. N<sup>o</sup> 8 W 2<sup>nd</sup> Mer. Ind. a.

40.00 Set a post from which  
 N.W. about 15 in dist. from S 59 E. 21 units dist. 22,  
 Sugar 14 1/2 " " N 35 W 46 " "  
 80.00 Set a post for the cor of Sec. 17, 18, 19, 20 from which  
 Sugar 30 in dist. from N 70 E. 35 units with 22  
 N.W. about 30 " " S 64 W 31 " "  
 Sand bottom making good for farming land

East Return Sec. 17, 20 T. 15 N. R. 8 W  
 2.50 To a creek 150 units wide, corner A 2  
 5.20 Intersect the Boomer line of Reserve and set a post  
 for the cor of Sec. 17, 20 from which a  
 bottom road 12 in dist. from S 31 E. 39 units with 22  
 Do. 10 " " " N 80 E. 47 1/2 "

East On a Random line between Sec. 17, 20 T. 15 N. R. 8 W  
 From the Reserve line.  
 34.80 Set a temporary post  
 39.30 To a creek 8 units wide, corner S.W. & local Bank  
 75.80 Intersect the N & S line 59 units south of the post on of  
 Sec. 16, 17, 20 & 21  
 Sand hilly and 3<sup>rd</sup> rate: Timber W Oak, Sugar, Hackberry  
 Wg Elder etc.

West On the true line between Sec. 17, 20 T. 15 N. R. 8 W  
 40.50 Set the temporary post at the arch in the true line  
 from which W Oak 40 in dist. from S 51 E. 18 1/2 units  
 and a Sugar 24 " " " N 26 W 29 " "  
 75.80 To the ca on Reserve line Sec. 17, 20.

North Return Sec. 17, 18 T. 15 N. R. 8 W  
 3.85 Intersect the Boomer line of the Reserve set a post  
 for the cor of Sec. 17, 18 from which  
 N.W. 14 in dist. from S 44 E. 20 units with 22  
 Sugar 30 " " " N 37 W 36 " "

319

T. No 15 N.R. No 877 2<sup>nd</sup> (Mon. Ind.)

North	Return Dec. 17. 1878 T. 15 N.R. 877
7.35	To Meachum 20 in dist in the line.
36.15	Set a trap for foxes from which, Buckeye 14 in dist from. N 11 E. 29 links north, Pa. N Walnut. 8 " " " N 14 W. 24 " "
38.00	To Racoon Creek 130 links north, Co. W.
60.05	To N Walnut. 24 in dist in the line.
76.15	Set a post for the corner of lot 7. 8. 17 & 18 from which, N Oak 20 in dist from. N 79 E. 8 links north, or Sugarcane 8 " " " N 54 W. 40 " " Land here 1 <sup>st</sup> 1/2 mile north; 2 <sup>nd</sup> 1/2 2 <sup>nd</sup> rate; Timber Peach, Sugar & Walnut, N.Y. Spruce & Pampaw.
East	On Kanawha line between Dec. 8777 T. 15 N.R. 877
40.00	Set a trap for foxes.
79.65	Set a post on the N.B. line 130 links South of the post on of Dec. 8. 9. 16 & 17. Second colling; 1 <sup>st</sup> 2 <sup>nd</sup> rate.
West	On the line between Dec. 8777 T. 15 N.R. 877
39.80	Set the trap for foxes at the corner on the line from which, Hickory 20 in dist from. N 22 E. 30 links north, 1 under Dog wood 8 " " " S 88 W. 26 " "
79.65	To the post on of lot 7. 8. 17 & 18. June. 24. 1878.
West	Return Dec. 9. 178 T. 15 N.R. 877
12.25	To Racoon Creek. 200 links north from N.W.
33.00	To Sugar. 20 in dist. Stand on the line.
40.00	Set a trap for foxes from which, Buck 20 in dist from. N 64 W. 20 links north, Pa. Lo. 12 " " " N 34 E. 2 " "
59.00	To a Sugar 15 in dist in the line
81.00	Set a post on the West Branch 200 links North of the post on of lot 12 & 13 T. 15 N.R. 977 and set a post for the " " " 7 & 18 from which,

## J. N. 15 N. R. N. 8 W 2nd (M. S. S. S.)

N Walnut 21 bars. N 35 E 45 links each, &c.  
 Mylborn 12 " " " 354 E 39 " "  
 Sande rolling under oak. Timber Sugar, Hackberry,  
 Walnut, &c. Ash, &c. N 9 Ash &c.

North Return Sec 58 J. 15 N R 8 W  
 8.05 To a NW Oak 48 in dia. in the line.  
 12.75 To a spring branch 2 links wide, corner NW  
 37.50 " " " 3 " " " " NW.  
 40.00 Set a 7/8 support from which,  
 NW Oak 33 in diameter N 70 E 14 links each, &c.  
 N 10 E 12 " " " 35 N 40 " "  
 42.65 To an Ash 20 in dia. in the line.  
 80.00 Set a post for the cor of sec 5, 6, 7 & 8 from which,  
 Sugar 12 in dia. bars. N 45 W 24 links each, &c.  
 N 10 E 8 " " " 35 E 35 " "  
 Sande rolling under 2nd rate. Timber Buck. NW Oak,  
 Sugar &c. N 9 Spruce & Ash.

East On a standard line between Sec 58 J. 15 N R 8 W  
 40.00 Set a trip 7/8 support  
 42.30 To a Brook 4 links wide, corner NW.  
 79.95 Set a post for the NW line 110 links south of the post cor.  
 of sec 4, 5, 8 & 9 for  
 Sande hilly and 3rd rate. Timber &c as before

West On the true line between Sec 58 J. 15 N R 8 W  
 39.97 Set the trip 7/8 support at the arched on the true line  
 from which, N 10 E 10 in dia. bars 39 E 36 links each,  
 under a Sugar 9 " " " 150 NW 6 " "  
 79.95 To the post cor of sec 5, 6, 7 & 8.

West Return Sec 60 J. 15 N R 8 W  
 8.30 To a NW Oak 20 in dia. stands in the line  
 12.50 To a rather small corner 25 links wide, corner NW  
 40.00 Set a 7/8 support from which,





J. N. 15 N.R. N. 877 2nd Mer. Ind.

Identify that the foregoing Transcript of the full notes of J. N. 15 N.R. N. 877 2nd Mer. Ind. has been compared with the Original notes in this Office and found to be correct.

Surveyor General's Office

Cincinnati, Aug. 13/1841

*[Signature]* Sur Gen.

The following line was omitted in its place  
 West Between Sec. 18779 J. 15 N.R. 877 Rem. from  
 40.00 Set a corner  $\frac{1}{4}$  section  
 63.50 To a corner 10 the same, corner Sec.  
 81.00 Intersect the West 137 142 the south of the cor  
 of sec. 13 & 24. J. 15 N.R. 977  
 Line broken & 20<sup>th</sup> rate; Intersect Buck & Sagon.

West On the line between Sec. 18779 J.  
 40.00 Set the  $\frac{1}{4}$  section from which,  
 Sagon. 20 in dist. from N 24 E. 25 the dist.  
 10. 12 " " " S 11 W 90 " "  
 81.00 To the cor of sec. 18779. Comp.